


SILO 3

<p>38 1240T</p> <p>V : H : - PS : % :</p>	<p>36 1240T</p> <p>V : H : - PS : % :</p>	<p>34 1240T</p> <p>V : H : - PS : % :</p>	<p>32 1240T</p> <p>V : H : - PS : % :</p>
<p>37 1240T</p> <p>V : H : - PS : % :</p>	<p>35 1240T</p> <p>V : H : - PS : % :</p>	<p>33 1240T</p> <p>V : H : - PS : % :</p>	<p>31 1240T</p> <p>V : H : - PS : % :</p>

SILO BETON



Céréales attendues dans l'immédiat :

V : Variété
H : Humidité - PS :
P.S.
Calibrage
% Protéines
Mitadin

Situation des stocks au :

SILO 2

22	1320T	24	1320T	26	1320T
<div style="border: 1px dashed black; padding: 5px;"> V : H : - PS : % : </div>		<div style="border: 1px dashed black; padding: 5px;"> V : H : - PS : % : </div>		<div style="border: 1px dashed black; padding: 5px;"> V : H : - PS : % : </div>	
21	1280T	23	1280T	25	1280T
<div style="border: 1px dashed black; padding: 5px;"> V : H : - PS : % : </div>		<div style="border: 1px dashed black; padding: 5px;"> V : H : - PS : % : </div>		<div style="border: 1px dashed black; padding: 5px;"> V : H : - PS : % : </div>	

V : Variété
H : Humidité - PS :
P.S.
Calibrage
% Protéines
Mitadin